



**Illinois Department of Transportation**

**Local Public Agency  
Material Proposal or  
Deliver & Install Proposal**

PROPOSAL SUBMITTED BY		
Contractor's Name		
Street		P.O. Box
City	State	Zip Code

STATE OF ILLINOIS

COUNTY OF DeKalb  
All 19 Road Districts  
 (Name of City, Village, Town or Road District)

FOR THE IMPROVEMENT OF

STREET NAME OR ROUTE NO. Various  
 SECTION NO. 2015 General County Letting  
 TYPES OF FUNDS Local

- MATERIAL PROPOSAL                       DELIVER & INSTALL PROPOSAL  
 SPECIFICATIONS (required)             PLANS (if applicable)

**For Municipal Projects**  
 Submitted/Approved/Passed

Mayor    President of Board of Trustees    Municipal Official

\_\_\_\_\_

Date

**Department of Transportation**  
 Released for bid based on limited review

\_\_\_\_\_

Regional Engineer

\_\_\_\_\_

Date

**For County and Road District Projects**  
 Submitted/Approved

\_\_\_\_\_

Highway Commissioner

\_\_\_\_\_

Date

Submitted/Approved

\_\_\_\_\_

County Engineer/Superintendent of Highways

\_\_\_\_\_

Date

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

RETURN WITH BID

NOTICE TO BIDDERS

County DeKalb
Local Public Agency Various
Section Number 2015 General County Letting
Route Various

Sealed proposals for the furnishing or delivering & installing materials required in the construction/maintenance of the above Section will be received and at that time publicly opened and read at the office of the DeKalb County Engineer,

1826 Barber Greene Road, DeKalb, IL 60115 until 10:00 AM on March 5, 2015
Address Time Date

- 1. Plans and proposal forms will be available in the office of the DeKalb County Engineer 1826 Barber Greene Road, DeKalb, IL 60115
2. Prequalification. If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals.
4. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals, will be required. Bid Bonds will not be allowed as a proposal guaranty.
5. The successful bidder at the time of execution of the contract will not be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. Failure on the part of the contractor to deliver the material within the time specified or to do the work specified herein will be considered just cause to forfeit his surety as provided in Article 108.10 of the Standard Specifications.
6. Proposals shall be submitted on forms furnished by the Awarding Authority and shall be enclosed in an envelope endorsed "Material Proposal, Section 2015 General County Letting".

By Order of DeKalb County Board (Awarding Authority) 02/09/2015 Date Nathan F. Schwartz, P.E. (County Engineer/Superintendent of Highways/Municipal Clerk)

Material Proposal or Deliver & Install Proposal

To DeKalb County Board (Awarding Authority)

If this bid is accepted within 45 days from date of opening, the undersigned agrees to furnish or to deliver & install any or all of the materials, at the quoted unit prices, subject to the following:

- 1. It is understood and agreed that the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2012, and the "Supplemental Specifications and Recurring Special Provisions", adopted January 1, 2015, prepared by the Department of Transportation, shall govern insofar as they may be applied and insofar as they do not conflict with the special provisions and supplemental specifications attached hereto.
2. It is understood that quantities listed are approximate only and that they may be increased or decreased as may be needed to properly complete the improvement within its present limits or extensions thereto, at the unit price stated and that bids will be compared on the basis of the total price bid for each group.
3. Delivery in total or partial shipments as ordered shall be made within the time specified in the special provisions or by the acceptance at the point and in the manner specified in the "Schedule of Prices". If delivery on the job site is specified, it shall mean any place or places on the road designated by the awarding authority or its authorized representative.
4. The contractor and/or local agency performing the actual material placement operations shall be responsible for providing work zone traffic control, unless otherwise specified in this proposal. Such devices shall meet the requirements of and be installed in accordance with applicable provisions of the "Illinois Manual on Uniform Traffic Control Devices" and any referenced Illinois Highway Standards.
5. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid will be declared unacceptable if neither a unit price nor a total price is shown.

Discounts will be allowed for payment as follows: 0 % 0 calendar days: 0 % 0 calendar days.

Discounts will not be considered in determining the low bidder.

Bidder

By (Signature)

Address

Title



Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
I	Bituminous Patching Mixture	FOB Plant	Ton	250.00		
I	HM Asphalt Surface Cse "C" N50	FOB Plant	Ton	4000.00		
II	Agg Surf Cse, Type B, CA-6	FOB Quarry	Ton	12500.00		
II	Seal Coat Agg, CA-16	FOB Quarry	Ton	2500.00		
II	Ag Lime /Screenings	FOB Quarry	Ton	2500.00		
III	Liquid Calcium Chloride	SOR Jobsite	Gal	85000.00		

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

\_\_\_\_\_  
Signature of Bidder

\_\_\_\_\_  
Address

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", Adopted January 1, 2012, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of Section 2015 General County Letting, and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

**DESCRIPTION OF WORK** The purpose of this proposal is to accept all quotes F.O.B. at plant or quarry for general maintenance materials and to accept the low quote for liquid calcium chloride to be used by DeKalb County or the Townships in 2015.

The maintenance materials will be ordered for each location, as needed, from the responsible bidder whose plant/quarry quote, plus the haul rate, represents the lowest "on road" cost to the County and various road districts. In unusual circumstances, such as when the plant/quarry with the lowest "on road" cost is closed, the material will be ordered from the plant/quarry with the next lowest "on road" cost.

**PREQUALIFICATION OF BIDDERS** The provisions for prequalification of bidders as stated in LRS#7 shall not apply to this proposal.

**QUANTITIES** The County and Townships reserve the right to determine the exact amount of each material to be purchased during the current year; however, estimated quantities for each item are given in the proposals.

**PROPOSAL GUARANTY** No proposal guaranty will be required for any of the items in this proposal.

**AGGREGATE, BITUMINOUS PATCHING MIXTURE, & HOT MIX ASPHALT SURFACE COURSE:** The low bidder shall be determined by the adding \$1.40 per ton for the first mile and \$0.30 per ton for each additional mile to the unit price bid.

**LIQUID CALCIUM CHLORIDE** This material will be ordered from the lowest responsible bidder delivered and sprayed on the road (Townships) or delivered and sprayed on road shoulders (County). The material and methods of application shall meet the requirements of Section 663 of the Standard Specifications for Road and Bridge Construction and LR663 included in this proposal. The Calcium Chloride solution shall be prepared by adding calcium chloride Grade 1 (77%) conforming to the requirements of AASHTO M 144, to water. The solution shall have a minimum specific gravity of 1.392 (38%) at 77 degrees F when checked with a hygrometer.

During spreading, the minimum temperature of the solution shall be maintained no lower than:

Solution	Minimum Temperature
38%	53°F
39%	60°F
40%	66°F
41%	70°F
42%	74°F

The method of measurement of Calcium Chloride applied in solution shall be gallons and the work shall be paid for at the contract unit price per gallon for Liquid Calcium Chloride.

The material shall be applied on aggregate roads between May 1 and August 31, 2015.

**INSURANCE** The successful bidder shall furnish a Certificate of Insurance, with the minimum requirements listed below, within 30 days of the award or the bid will be considered null and void.

1. Bodily Injury Liability - \$1,000,000
2. Property Damage Liability
  - A. Each Occurrence - \$500,000
  - B. Aggregate - \$1,000,000
3. Workmen's Compensation Coverage

**CHECK SHEET  
FOR  
RECURRING SPECIAL PROVISIONS**

Adopted January 1, 2015

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<u>CHECK SHEET #</u>	<u>RECURRING SPECIAL PROVISIONS</u>	<u>PAGE NO.</u>
1	<input type="checkbox"/> Additional State Requirements for Federal-Aid Construction Contracts	163
2	<input type="checkbox"/> Subletting of Contracts (Federal-Aid Contracts)	166
3	<input type="checkbox"/> EEO	167
4	<input type="checkbox"/> Specific EEO Responsibilities Non Federal-Aid Contracts	177
5	<input type="checkbox"/> Required Provisions - State Contracts	182
6	<input type="checkbox"/> Asbestos Bearing Pad Removal	188
7	<input type="checkbox"/> Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt Surface Removal	189
8	<input type="checkbox"/> Temporary Stream Crossings and In-Stream Work Pads	190
9	<input type="checkbox"/> Construction Layout Stakes Except for Bridges	191
10	<input type="checkbox"/> Construction Layout Stakes	194
11	<input type="checkbox"/> Use of Geotextile Fabric for Railroad Crossing	197
12	<input type="checkbox"/> Subsealing of Concrete Pavements	199
13	<input type="checkbox"/> Hot-Mix Asphalt Surface Correction	203
14	<input type="checkbox"/> Pavement and Shoulder Resurfacing	205
15	Reserved	206
16	<input type="checkbox"/> Patching with Hot-Mix Asphalt Overlay Removal	207
17	<input type="checkbox"/> Polymer Concrete	208
18	<input type="checkbox"/> PVC Pipeliner	210
19	<input type="checkbox"/> Pipe Underdrains	211
20	<input type="checkbox"/> Guardrail and Barrier Wall Delineation	212
21	<input type="checkbox"/> Bicycle Racks	216
22	Reserved	218
23	<input type="checkbox"/> Temporary Portable Bridge Traffic Signals	219
24	<input type="checkbox"/> Work Zone Public Information Signs	221
25	<input type="checkbox"/> Nighttime Inspection of Roadway Lighting	222
26	<input type="checkbox"/> English Substitution of Metric Bolts	223
27	<input type="checkbox"/> English Substitution of Metric Reinforcement Bars	224
28	<input type="checkbox"/> Calcium Chloride Accelerator for Portland Cement Concrete	225
29	Reserved	226
30	<input type="checkbox"/> Quality Control of Concrete Mixtures at the Plant	227
31	<input type="checkbox"/> Quality Control/Quality Assurance of Concrete Mixtures	235
32	<input type="checkbox"/> Digital Terrain Modeling for Earthwork Calculations	251
33	<input type="checkbox"/> Pavement Marking Removal	253
34	<input type="checkbox"/> Preventive Maintenance – Bituminous Surface Treatment	254
35	<input type="checkbox"/> Preventive Maintenance – Cape Seal	260
36	<input type="checkbox"/> Preventive Maintenance – Micro-Surfacing	275
37	<input type="checkbox"/> Preventive Maintenance – Slurry Seal	286
38	<input type="checkbox"/> Temporary Raised Pavement Markers	296
39	<input type="checkbox"/> Restoring Bridge Approach Pavements Using High-Density Foam	297

**CHECK SHEET  
FOR  
LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS**

Adopted January 1, 2015

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

<u>CHECK SHEET #</u>	<u>PAGE NO.</u>
LRS 1	Reserved..... 301
LRS 2	<input type="checkbox"/> Furnished Excavation ..... 302
LRS 3	<input type="checkbox"/> Work Zone Traffic Control Surveillance ..... 303
LRS 4	<input type="checkbox"/> Flaggers in Work Zones ..... 304
LRS 5	<input type="checkbox"/> Contract Claims ..... 305
LRS 6	<input type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals ..... 306
LRS 7	<input type="checkbox"/> Bidding Requirements and Conditions for Material Proposals ..... 312
LRS 8	Reserved..... 318
LRS 9	<input type="checkbox"/> Bituminous Surface Treatments ..... 319
LRS 10	Reserved..... 320
LRS 11	<input type="checkbox"/> Employment Practices ..... 321
LRS 12	<input type="checkbox"/> Wages of Employees on Public Works ..... 323
LRS 13	<input type="checkbox"/> Selection of Labor ..... 325
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks ..... 326
LRS 15	<input type="checkbox"/> Partial Payments ..... 329
LRS 16	<input type="checkbox"/> Protests on Local Lettings ..... 330
LRS 17	<input type="checkbox"/> Substance Abuse Prevention Program ..... 331
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt ..... 332

**INDEX  
FOR  
SUPPLEMENTAL SPECIFICATIONS  
AND RECURRING SPECIAL PROVISIONS**

Adopted January 1, 2015

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

**ERRATA** Standard Specifications for Road and Bridge Construction  
(Adopted 1-1-12) (Revised 1-1-15)

**SUPPLEMENTAL SPECIFICATIONS**

<u>Std. Spec. Sec.</u>	<u>Page No.</u>
101 Definition of Terms .....	1
102 Advertisement, Bidding, Award, and Contract Execution .....	2
105 Control of Work .....	3
106 Control of Materials .....	5
107 Legal Regulations and Responsibility to Public .....	6
108 Prosecution and Progress .....	14
109 Measurement and Payment .....	15
202 Earth and Rock Excavation .....	17
211 Topsoil and Compost .....	19
250 Seeding .....	20
253 Planting Woody Plants .....	21
280 Temporary Erosion and Sediment Control .....	23
312 Stabilized Subbase .....	24
406 Hot-Mix Asphalt Binder and Surface Course .....	25
407 Hot-Mix Asphalt Pavement (Full-Depth) .....	28
420 Portland Cement Concrete Pavement .....	32
424 Portland Cement Concrete Sidewalk .....	34
440 Removal of Existing Pavement and Appurtenances .....	35
502 Excavation for Structures .....	36
503 Concrete Structures .....	37
504 Precast Concrete Structures .....	40
506 Cleaning and Painting New Steel Structures .....	41
512 Piling .....	42
516 Drilled Shafts .....	43
521 Bearings .....	44
540 Box Culverts .....	45
588 Bridge Relief Joint System .....	46
589 Elastic Joint Sealer .....	48
602 Catch Basin, Manhole, Inlet, Drainage Structure, and Valve Vault Construction, Adjustment, and Reconstruction .....	49
603 Adjusting Frames and Grates of Drainage and Utility Structures .....	50
606 Concrete Gutter, Curb, Median, and Paved Ditch .....	52
610 Shoulder Inlets with Curb .....	53
639 Precast Prestressed Concrete Sight Screen .....	54
642 Shoulder Rumble Strips .....	55

643	Impact Attenuators .....	56
644	High Tension Cable Median Barrier .....	58
669	Removal and Disposal of Regulated Substances .....	60
670	Engineer's Field Office and Laboratory .....	64
701	Work Zone Traffic Control and Protection .....	65
706	Impact Attenuators, Temporary .....	68
707	Movable Traffic Barrier .....	71
708	Temporary Water Filled Barrier .....	73
730	Wood Sign Support .....	75
780	Pavement Striping .....	76
816	Unit Duct .....	81
836	Pole Foundation .....	82
860	Master Controller .....	83
1001	Cement .....	84
1003	Fine Aggregates .....	85
1004	Coarse Aggregates .....	87
1006	Metals .....	91
1011	Mineral Filler .....	93
1017	Packaged, Dry, Combined Materials for Mortar .....	94
1018	Packaged Rapid Hardening Mortar or Concrete .....	95
1019	Controlled Low-Strength Material (CLSM).....	96
1020	Portland Cement Concrete .....	97
1024	Grout and Nonshrink Grout .....	136
1030	Hot-Mix Asphalt .....	137
1040	Drain Pipe, Tile, Drainage Mat, and Wall Drain .....	142
1042	Precast Concrete Products .....	143
1069	Pole and Tower .....	144
1070	Foundation and Breakaway Devices .....	145
1073	Controller .....	146
1081	Materials for Planting .....	147
1082	Preformed Bearing Pads .....	148
1083	Elastomeric Bearings .....	149
1088	Wireway and Conduit System .....	150
1095	Pavement Markings .....	152
1101	General Equipment .....	155
1102	Hot-Mix Asphalt Equipment .....	157
1103	Portland Cement Concrete Equipment .....	159
1105	Pavement Marking Equipment .....	160
1106	Work Zone Traffic Control Devices .....	161



**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
LOCAL ROADS AND STREETS**

**BITUMINOUS PATCHING MIXTURES  
FOR MAINTENANCE USE**

Effective: January 1, 2004  
Revised: June 1, 2007

This special provision covers course graded and fine graded bituminous mixtures for use in maintaining small areas on flexible and rigid type pavement.

**Materials.** The materials, control, quality, sampling, testing, inspection and storage of material shall conform to the specific requirements of the Standard Specifications for Road and Bridge Construction adopted by the Department of Transportation.

**Bituminous Patching Mixtures.** The material supplier or contractor may furnish any of the following Bituminous Patching Mixtures listed in the individual Group for which the award was made.

**Group I – Bituminous Patching Mixtures**

Serial No. M-17-07: Bituminous Mixture for Maintenance Use, Emulsified Asphalt Type

Serial No. M-19-07: Bituminous Mixture for Maintenance Use, Liquid Asphalt Type

Serial No. M-20-07: Bituminous-Sand Mixture for Maintenance Use

Serial No. M-48-02: Bituminous Premix for Maintenance Use, Inverted Emulsified Asphalt CBAE-2

Serial No. M-126-07: Bituminous Mixes for Maintenance Use, Reinforced Fiber Mixture

Bituminous Patching Mixture (HMA): This mixture shall conform to the material requirements of Section 1030. The mixture shall be a High ESAL IL-12.5 N50, High ESAL IL-9.5 N50, or Low ESAL IL-9.5 N30 mix. The bituminous material shall be limited to asphalt PG 58-28 or PG 52-28.

**Group II – Bituminous Patching Mixture (Proprietary)**

Serial No. M-120-07: Bituminous Premix for Maintenance Use - Optimix, Sylcrete, UPM, QPR-2000, EZ Street, SMP - Proprietary Sources

Serial No. M-133-96: Bituminous Premix for Maintenance Use, Instant Road Repair - Proprietary

**Placing of Bituminous Patching Mixture.** All holes and depressions in the existing surface which exceed  $\frac{3}{4}$ " in depth shall be repaired by removal of all loose and defective material and replaced with the specified Bituminous Patching Mixture. The material shall be compacted to produce a tight surface conforming to the adjacent area.

**Method of Measurement.** Bituminous patching mixture will be measured for payment in metric tons (tons).

**Basis of Payment.** This work will be paid for at the contract unit price per metric ton (ton) for BITUMINOUS PATCHING MIXTURE (GROUP I); BITUMINOUS PATCHING MIXTURE (GROUP II);

- | When bids are taken F.O.B. trucks at the mixing plant a hauling differential of \$\_\_\_\_\_ per ton-mile haul from mixing plant to location designated in the proposal will be used to determine the low bid. Round trip distance shall be used to calculate the hauling differential to be used to compare bids. Bidders are required to fill in the location of the plant from where they propose to supply the patching mixture, on the material proposal form.

State of Illinois  
DEPARTMENT OF TRANSPORTATION  
Bureau of Local Roads and Streets

SPECIAL PROVISION  
FOR  
CALCIUM CHLORIDE APPLIED

Effective: June 1, 1958  
Revised: January 1, 2007

All references to Sections or Articles in this specification shall be construed to mean a specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

**Description.** This work consists of furnishing and applying to aggregate base or surface courses, a solution of calcium chloride. The same type of solution shall be used throughout the work.

**Materials.** Materials shall meet the requirements of the following Articles of Section 1000 - Materials:

Item	Article/Section
(a) Water.....	1002
(b) Calcium Chloride - CaCl <sub>2</sub> (Note 1) .....	1013.01

Note 1. The Engineer shall determine percent calcium chloride required. The Contractor shall provide the State with the appropriate mixing formula for Type S and water to achieve the required percentage. The Contractor shall supply the Type L at the percent calcium chloride specified.

**Equipment.** A tank truck or spreader unit assembly, equipped with spray bars and nozzles shall be used. A positive displacement pump driven from a power source or from the wheels of the spreader/unit assembly shall be used to develop sufficient pressure at the spray bar nozzles to insure uniform distribution of the solution at the specified application rate. Spray bars of various lengths shall be used so that the solution may be applied in widths varying from 1.2 to 7.2 meters (4 to 24 feet). The motor vehicle shall be capable of maintaining a constant speed during the time of application. The tank truck or spreader/unit assembly shall be equipped with a suitable device, visible to the driver, to accurately determine the rate at which the solution is applied. Suitable charts shall be furnished to enable correlation of the vehicle speed and rate of application.

When the tank truck is used to mix calcium chloride Type S with water, the pump and piping shall be so arranged that thorough mixing of the ingredients will be accomplished as rapidly as possible without excessive heating.

**Certification.** At the time of delivery, the supplier shall furnish the purchaser two copies of the delivery report that shall contain the following data:

- (a) The liters (gallons) at 25 °C (77 °F) and weight of solution delivered.
- (b) The specific gravity and temperature of the solution at the time of loading.
- (c) The percentage of calcium chloride in the solution.
- (d) The percentage of magnesium chloride and alkali chlorides contained in the solution

**Sampling and Testing.** The first truck load shipped of a contract will be sampled at its destination by the purchaser's personnel. Random check samples representing 10% of the contract quantity shall be taken of subsequent loads. The samples shall be packaged in an 1 quart plastic container and sent with the certification data sheet to the Bureau of Materials and Physical Research, 125 East Ash Street, Springfield, IL 62704, for testing.

### **CONSTRUCTION REQUIREMENTS**

**General.** The rate of application per square meter (square yard) and the quantity shown in the contract is based on the amount of chloride to be applied. The actual application rate shall be the rate shown in the contract divided by the decimal equivalent of the percent chloride.

**Application Rate.** The rate of application shall be \_\_\_\_\_ kg per square meter (1 pounds per square yard)

Note 2. The normal application rate is 0.68 kg per square meter (1.2 pounds per square yard). The specified application rate shall be between 0.45 to 0.84 kg per square meter (0.8 to 1.5 pounds per square yard).

**Application of Calcium Chloride Solution.** The solution shall be applied to the base or surface course through the spray bars in not more than two applications. The entire surface shall be covered uniformly without excessive transverse or longitudinal overlap. The solution may be applied to irregular-shaped areas by means approved by the Engineer.

**Method of Measurement.** Calcium chloride applied will be measured for payment by mass (weight) in metric tons (tons).

The quantity of calcium chloride for which payment will be made will be the total mass (weight) multiplied by the decimal equivalent of the percent of anhydrous chloride.

**Basis of Payment.** This work will be paid for at the contract unit price bid per metric ton (ton) for **CALCIUM CHLORIDE APPLIED.**